




## Product Sampler Glove Box Systems



**CLEATECH LLC.**  
Critical Laboratory solutions

- Manufacture of a complete line of Stainless Steel and Plastic Hoods and Laminar Flow Workstation
- Desiccator, Low-Humidity storage cabinets
- Glove Box Systems
- Laboratory Fume Hoods

## Automatic Purge Control Units with RH Sensor

Automatic purge control units (Humodule™) work with inert gas such as Nitrogen, Argon or Clean Dry Air (CDA) Source. They are designed to automatically control purge system to maintain desired low relative humidity.

SKU	Descriptions	Price
A21-HM-HDS	PCU Type S, Single Purge, audio Alarm, One Humidity Sensor	\$1,450
A21-HM-HDD*	PCU Type D, Double Purge, audio Alarm, One Humidity Sensor	\$1,485
A21-HM-H2	2-Channel Dehumidification Unit, with two RH Sensors	\$1,995
A21-HM-H3	3-Channel Dehumidification Unit, with three RH Sensors	\$2,390
A21-HM-H4	4-Channel Dehumidification Unit, with four RH Sensors	\$2,995
A21-HM-C	Humidification & Dehumidification Purge Unit, One RH Sensor	RFQ



**Type S:** It's a single purge unit, The Nitrogen flow is stopped by a solenoid valve, when the humidity is lower than set point.

**Type D:** It is a dual purge unit. The system provides low purge (2-20 Cubic feet per hour) inert gas maintaining positive pressure inside the enclosure.

## Automatic Purge Control Units with O2 Sensor (Oxygen Analyzer)

Cleatech Oxygen Analyzer works with inert gas such as Nitrogen and Argon. The system monitors the O2 level 0 to 100 and it's able to maintain the O2 level inside the enclosure on the desired set point level.

SKU	Descriptions	Price
A21-HM-OA	Automatic Purge Control Unit with O2 Sensor	\$2,750



**Features:** 0 to 100% Oxygen level reading range, including external model CAG-250E sensor, Stainless Steel enclosure, Bench-top, Alarm Output, RS 232 Service port.

## Oxygen Monitor

Economical instruments for monitoring & measuring Oxygen Level

SKU	Descriptions	Price
A21-MT-OMB	Oxygen Monitor Portable, 0-100% (< +2%) with Sensor, 3V	\$525
A21-MT-OM	Oxygen Monitor, 0-100% (< +1%) with Sensor, 120/230V	\$1,380
A21-MT-OMP	Oxygen Monitor Compact, 0-100% (< +2%) with Sensor, 3V	\$350



## Nitrogen Generators

Membrane Nitrogen Generators which eliminate the inconvenience and the high costs of nitrogen cylinders. Membrane Nitrogen Generators produce up to 99.5% pure commercially sterile nitrogen at dew points to -58°F (-50°C) from a compressed air supply. They require source of dry compressed air.

SKU	Descriptions	Price
1700-1-A	Membrane Nitrogen generator, HFX-1, 11 SCFH @ 99% Pure	\$6,033
1700-1-B	Membrane Nitrogen generator, HFX-3, 42 SCFH @ 99% Pure	\$10,057
1700-1-C	Membrane Nitrogen generator, HFX-5, 76 SCFH @ 99% Pure	\$14,856



**Accessories:** • Filter Maintenance Kits

## Isolation Glove Box 2100 Series, Two Port , Transparent

These basic isolation glove boxes provide low-humidity, Oxygen free controlled environment when used with inert gas purging system. Isolation glove boxes are ideal choice for laboratory, clean room, electronic assembly and other critical processing operations in such industries as semiconductor and pharmaceutical manufacturing.

### Features:

Two access doors open inward (or outwards upon request) with stainless Steel door frame, hinge, one-piece non-adhesive sealing.  
 Side door opening 10"x10" (Upgradable to larger door)  
 Removable back wall for operations involving large equipment.  
 Two 8" OD glove ports for standard dry box gloves with 8" cuff size.



SKU	Description	Material	Dimensions	Price
2100-2-A	Two-Port Isolation Glove Box, Inert Gas Option	Clear Acrylic	35"x24"x25"	\$1,320
2100-2-E	Two-Port Isolation Glove Box, Inert Gas Option	ESD Acrylic	35"x24"x25"	\$2,326
2100-2-C	Two-Port Isolation Glove Box, Inert Gas Option	Clear PVC	35"x24"x25"	\$1,639
2100-2-B	Two-Port Isolation Glove Box, Inert Gas Option	ESD PVC	35"x24"x25"	\$2,326

### Accessories:

•Airlock Transfer Chamber •Gas-Port and Bleeding Valve •Flowmeter •Dry Box Gloves •Stainless Steel Worksurface or Tray •Powder coated steel stand • Automatic Purge Control Unit RH or O<sub>2</sub> Monitoring  
 •Power Strip • Single or Multi port Feedthrough / Cord grip •Front Tilt-up Access Door

## Isolation Glove Box 2100 Series, Four Port , Transparent

The larger enclosure isolation glove boxes for two operators, provide low-humidity, Oxygen free controlled environment when used with inert gas purging system.

### Features:

Two access doors open inward (or outwards upon request) with stainless Steel door frame, hinge, one-piece non-adhesive sealing.  
 Side door opening 10"x10" (Upgradable to larger door)  
 Removable back wall for operations involving large equipment.  
 Four 8" OD glove ports for standard dry box gloves with 8" cuff size.



SKU	Description	Material	Dimensions	Price
2100-4-A	Four-Port Isolation Glove Box, Inert Gas Option	Clear Acrylic	60"x24"x25"	\$1,630
2100-4-E	Four-Port Isolation Glove Box, Inert Gas Option	ESD Acrylic	60"x24"x25"	\$3,195
2100-4-C	Four-Port Isolation Glove Box, Inert Gas Option	Clear PVC	60"x24"x25"	\$2,145
2100-4-B	Four-Port Isolation Glove Box, Inert Gas Option	ESD PVC	60"x24"x25"	\$3,195

### Accessories:

•Airlock Transfer Chamber •Gas-Port and Bleeding Valve •Flowmeter •Dry Box Gloves •Stainless Steel Worksurface or Tray •Powder coated steel stand • Automatic Purge Control Unit RH or O<sub>2</sub> Monitoring  
 •Power Strip • Single or Multi port Feedthrough / Cord grip •Front Tilt-up Access Door

## Isolation Glove Box 2100 Series, Two Port, Polypropylene

Basic isolation glove boxes with durable and chemical resistant non-transparent construction. Good choice for laboratory application involved chemicals.

### Features:

- White Polypropylene with tempered Glass Window
- Two access doors open inward (or outwards upon request) with stainless Steel door frame, hinge, one-piece non-adhesive sealing.
- Side door opening 10"x10" (Upgradable to larger door)
- Removable back wall for operations involving large equipment.
- Two 8" OD glove ports for standard dry box gloves with 8" cuff size.
- External mount fluorescent or LED light.



Monitor atmosphere with  
 Oxygen Meter  
 Digital Hygrometer  
 Thermometer



SKU	Description	Material	Dimensions	Price
2100-2-D	Two-Port Isolation Glove Box, Inert Gas	Polypropylene	35"x24"x25"	\$1,620

### Accessories:


- Airlock Transfer Chamber •Gas-Port and Bleeding Valve •Flowmeter •Dry Box Gloves •Bare Hand Entry (Iris port) •Stainless Steel Worksurface or Tray •Powder coated steel stand • Automatic Purge Control Unit RH or O<sub>2</sub> Monitoring •Power Strip • Single or Multi port Feedthrough / Cord grip

## Isolation Glove Box 2100 Series, Four Port, Polypropylene

Four port isolation glove boxes with durable and chemical resistant non-transparent construction. Good choice for laboratory application involved chemicals. Available in same side glove ports or Dual sided glove ports.

### Features:

- White Polypropylene with to Tempered Glass Window
- Two access doors open inward (or outwards upon request) with stainless Steel door frame, hinge, one-piece non-adhesive sealing.
- Side door opening 10"x10" (Upgradable to larger door)
- Removable back or side wall for operations involving large equipment.
- Four 8" OD glove ports for standard dry box gloves with 8" cuff size.
- External mount fluorescent or LED light



SKU	Description	Material	Dimensions	Price
2100-4-D	Four-Port Glove Box, Same Side Port Ports	Polypropylene	60"x24"x25"	\$1,960
2100-4-I	Four-Port Glove Box, Back to Back Ports	Polypropylene	36"x36"x25"	\$2,200

### Accessories:

- Airlock Transfer Chamber •Gas-Port and Bleeding Valve •Flowmeter •Dry Box Gloves •Bare Hand Entry (Iris port) •Stainless Steel Worksurface or Tray •Powder coated steel stand • Automatic Purge Control Unit RH or O<sub>2</sub> Monitoring •Power Strip • Single or Multi port Feedthrough / Cord grip

### Material Guide:

Clear acrylic glove box is ideal for general purpose processing. Non-dissipative Acrylic could be damaged by some cleaning agents. Chemical Grade Clear Static-Dissipative Acrylic or PVC eliminates static charges keeping the dry box clean and it does not attract particles from the air and has a powerful chemical resistance. Clear PVC glove box is a good economical choice for operations with many corrosive chemicals and alcohol. it's transparent with slight gray tint. Polypropylene is the best chemical resistant in plastic glove boxes and recommended for application involved with Acetone and acids.

## Isolation Glove Box 2200 Series, Two Port, Portable

2200 Series isolation glove boxes, light weight, portable and space saving with 27" width. Cleatech portable gloveboxes come with front tilt-up window and optional airlock. These economical glove boxes have the same function as standard 2100 series with wide range of materials and accessories for humidity and oxygen control & monitoring.

### Features:

Lift-up front window with stainless steel frame, allows easy parts transfer from inside the Glovebox.

Interior Dimensions 26 1/2"Wx17"Dx17.5"H

Removable back wall for operations involving large equipment.

Two 8" Diameter glove port can be used with any 8" standard glove

Side door opening 10"x10" available if it's ordered with transfer chamber



SKU	Description	Material	Dimensions	Price
2200-2-A	Two-Port Portable Mini Glove Box	Clear Acrylic	27"x18"x18"	\$1,075
2200-2-E	Two-Port Portable Mini Glove Box	ESD Acrylic	27"x18"x18"	\$1,955
2200-2-C	Two-Port Portable Mini Glove Box	Clear PVC	27"x18"x18"	\$1,475
2200-2-B	Two-Port Portable Mini Glove Box	ESD PVC	27"x18"x18"	\$1,995
2200-2-D	Two-Port Portable Mini Glove Box	Polypropylene	27"x18"x18"	\$1,430

### Accessories:

•Airlock Transfer Chamber •Gas-Port and Bleeding Valve •Flowmeter •Dry Box Gloves •Bare Hand Entry (Iris port) •Stainless Steel Worksurface or Tray •Powder coated steel stand • Automatic Purge Control Unit RH or O<sub>2</sub> Monitoring •Power Strip •Single or Multi port Feedthrough / Cord grip

## Isolation Glove Box 2500 Series, Two Port, Compact

Compact glove box is a portable sealed enclosure that is designed to allow one to manipulate objects where a separate atmosphere is required but in a small scale. It can be used in mail handling, labs and clean rooms. The operator can place their hands into the gloves from the side ports and perform tasks inside the box.

### Features:

Lift-up front window allows easy parts transfer from inside the Glovebox.

The door opening 14 1/2"x12 5/8"

Two 8" Diameter glove port on the sides can be used with any 8" glove



SKU	Description	Material	Dimensions	Price
2500-2-A	Two-Port Compact Glove Box	Clear Acrylic	16"x16"x16"	\$995
2500-2-E	Two-Port Compact Glove Box	ESD Acrylic	16"x16"x16"	\$1,750
2100-2-C	Two-Port Compact Glove Box	Clear PVC	16"x16"x16"	\$1,350
2100-2-D	Two-Port Compact Glove Box	Polycarbonate	16"x16"x16"	\$1,180

### Accessories:

•Gas-Port and Bleeding Valve •Flowmeter •Dry Box Gloves •Bare Hand Entry (Iris port) Automatic Purge Control Unit RH or O<sub>2</sub> Sensor •Digital Hygrometer/ Thermometer • Portable Oxygen Monitor • Single or Multi port Feedthrough / Cord grip



## Isolation Glove Box 2800 Series, Stainless Steel

Cleatech 2800 Series isolation Glove Boxes are constructed from 304 grade stainless steel with continuous-steam welds designed for removal of oxygen and humidity and backfill with nitrogen or argon. Provide a clean, controlled atmosphere environment for many applications such as semiconductor, pharmaceutical manufacturing, research and testing. Stainless steel has good resistance to a wide range of chemicals and excellent moisture and heat resistance. They can be decontaminated and cleaned easily, and they are ESD safe suitable for electro static sensitive applications if grounded.



### Features:

304 Stainless steel construction with continuous-steam welds  
 Tilt-up front window clear AR polycarbonate with large opening  
 All welded NPT gas ports  
 8" OD Arm ports that can be used with gloves or IRIS port

SKU	Description	Material	Dimensions	Price
2800-2-A	Two-Port glove box Medium	304 S.S	27"x18"x18"	\$2,650
2800-2-B	Two-Port Glove box Large	304 S.S	30"x24"x26"	\$3,250

### Accessories:

•Airlock Transfer Chamber •Dry Box Gloves •Bare Hand Entry (Iris port) •Powder coated steel and stainless-steel base stand •Power Strip •Single or Multi port Feedthrough / Cord grip

## Vacuum Glove Box 2700 Series

Vacuum glove boxes can handle 29.8 in.Hg negative pressure and are designed for anaerobic processing in dry inert gas environment. It's used in a wide range of vacuum application such as degassing. For an automated vacuum control, select a Cleatech VCU a vacuum control unit. For monitoring the oxygen concentration, you may order Cleatech portable Oxygen monitor.



### Features:

1" wall reinforced Acrylic construction.  
 Two removable glove covers  
 Fully removable top lid for easy transfer of large parts  
 Two vacuum valves with barbed fitting for vacuum and nitrogen backfill  
 Vacuum Gauge 0-30 in for monitoring main chamber and airlock internal pressure

SKU	Description	Material	Dimensions	Price
2700-2-A	Vacuum Glove Box without Transport Chamber	Clear Acrylic	24"x16"x18"	\$3,580
2700-2-B	Vacuum Glove Box with Vacuum Airlock	Clear Acrylic	36" x16"x18"	\$4,690

### Accessories:

•Low CFM vacuum pump for continuous nitrogen purging •Two-stage Rotary Vacuum Pump 6 CFM for deep vacuum •Vacuum Control Unit to maintain the vacuum level •Vacuum rated PVC Tube

*Cleatech® Vacuum Pump Control Unit, desk top, monitors the vacuum level and automatically controls pump to maintain a preset vacuum level (Down to 29.5" Hg)*



## HEPA Filtered Glove Box 2300 Series, Two Port, Transparent

Cleatech 2300 Series Containment Glove Boxes are configured as an open loop airflow system safely and effectively control particulates in your laboratory. These glove boxes are negatively pressured to contain particulates inside the chamber and protect operator. Alternatively, they can be factory configured to positive pressure to protect samples against airborne particles.



### Features:

Two access doors open outwards (Negative Pressure), opening 10"x10"  
 Blower Module, Adjustable Speed, 400-CFM  
 Removable back wall for operations involving large equipment.  
 Two 8" OD glove ports for standard dry box gloves with 8" cuff size.  
 Primary HEPA Filter 99.97% efficient.

SKU	Description	Material	Dimensions	Price
2300-2-A	Two-Port Open Loop HEPA Filtered Glove Box	Clear Acrylic	35"x24"x25"	\$2,230
2300-2-E	Two-Port Open Loop HEPA Filtered Glove Box	ESD Acrylic	35"x24"x25"	\$3,235
2300-2-C	Two-Port Open Loop HEPA Filtered Glove Box	Clear PVC	35"x24"x25"	\$2,550
2300-2-B	Two-Port Open Loop HEPA Filtered Glove Box	ESD PVC	35"x24"x25"	\$3,235

### Accessories:

•Airlock Transfer Chamber •Dry Box Gloves •Bare Hand Entry (Iris port) •Stainless Steel Worksurface or Tray •Powder coated steel stand •HEPA or Carbon Exhaust filter •Duct Port 2" to 10" OD •Power Strip •Single or Multi port Feedthrough / Cord grip •Front tilt-up Access Door •Pressure gauge

## HEPA Filtered Glove Box 2300 Series, Four Port, Transparent

The larger enclosure containment glove boxes for two operators, configured as an open loop airflow system safely and effectively control particulates in your laboratory. Available in Negative and Positive Configuration.



### Features:

Two access doors open outwards (Negative Pressure), opening 10"x10"  
 Blower Module, Adjustable Speed, 400-CFM  
 Removable back wall for operations involving large equipment.  
 Two 8" OD glove ports for standard dry box gloves with 8" cuff size.  
 Primary HEPA Filter 99.97% efficient.

SKU	Description	Material	Dimensions	Price
2300-4-A	Four-Port Open Loop HEPA Filtered Glove Box	Clear Acrylic	60"x24"x25"	\$2,520
2300-4-E	Four-Port Open Loop HEPA Filtered Glove Box	ESD Acrylic	60"x24"x25"	\$4,065
2300-4-C	Four-Port Open Loop HEPA Filtered Glove Box	Clear PVC	60"x24"x25"	\$3,015
2300-4-B	Four-Port Open Loop HEPA Filtered Glove Box	ESD PVC	60"x24"x25"	\$4,065

### Accessories:

•Airlock Transfer Chamber •Dry Box Gloves •Bare Hand Entry (Iris port) •Stainless Steel Worksurface or Tray •Powder coated steel stand •HEPA or Carbon Exhaust filter •Duct Port 2" to 10" OD •Power Strip •Single or Multi port Feedthrough / Cord grip •Front tilt-up Access Door •Pressure gauge

## HEPA Filtered Glove Box 2300 Series, Two Port, Polypropylene

Durable and chemical resistant non-transparent construction. Ideal choice for laboratory application involved chemicals.

An open loop airflow system safely and effectively control particulates in your laboratory. These glove boxes are negatively pressured to contain particulates inside the chamber and protect operator. Alternatively, they can be factory configured to positive pressure to protect samples against airborne particles.

### Features:

Two access doors open outwards (Negative Pressure), opening 10"x10"  
 Blower Module, Adjustable Speed, 400-CFM  
 Removable back wall for operations involving large equipment.  
 Two 8" OD glove ports for standard dry box gloves with 8" cuff size.  
 Primary HEPA Filter 99.97% efficient.  
 Internal mount LED light. (Also, available in External)



Optional Duct Port & Pressure Gauge



SKU	Description	Material	Dimensions	Price
2300-2-D	Two-Port Open Loop HEPA Filtered Glove Box	Polypropylene	35"x24"x25"	\$2,460

### Accessories:

•Airlock Transfer Chamber •Dry Box Gloves •Bare Hand Entry (Iris port) •Stainless Steel Worksurface or Tray •Powder coated steel stand •HEPA or Carbon Exhaust filter •Duct Port 2" to 10" OD •Power Strip •Single or Multi port Feedthrough / Cord grip •Front tilt-up Access Door •Pressure gauge

## HEPA Filtered Glove Box 2300 Series, Four Port, Polypropylene

The larger enclosure containment glove boxes for two operators, configured as an open loop airflow system safely and effectively control particulates in your laboratory. Available in Negative and Positive Configuration.

### Features:

Two access doors open outwards (Negative Pressure), opening 10"x10"  
 Blower Module, Adjustable Speed, 400-CFM  
 Removable back wall for operations involving large equipment.  
 Two 8" OD glove ports for standard dry box gloves with 8" cuff size.  
 Primary HEPA Filter 99.97% efficient.  
 Internal mount LED light. (Also, available in External)



SKU	Description	Material	Dimensions	Price
2300-4-D	Four-Port Open Loop HEPA Filtered Glove Box	Polypropylene	60"x24"x25"	\$2,830

### Accessories:

•Airlock Transfer Chamber •Dry Box Gloves •Bare Hand Entry (Iris port) •Stainless Steel Worksurface or Tray •Powder coated steel stand •HEPA or Carbon Exhaust filter •Duct Port 2" to 10" OD •Power Strip •Single or Multi port Feedthrough / Cord grip •Front tilt-up Access Door •Pressure gauge

**Note:** Filtered glove boxes cannot maintain a pure gas atmosphere since they move freely through any particulate filter. Therefore, they are not good choice to control humidity and oxygen level. Use Cleatech isolation glove boxes for such applications.




## HEPA Filtered Glove Box 2400 Series, Two Port, Transparent

2400 Series filtration glove box is a combination of isolation glove boxes 2100 series with HEPA filtered glove boxes 2300 series. It provides low humidity environment along with a clean, particulate controlled work space for critical processing operations

### Features:

Two access doors open outwards (Negative Pressure), opening 10"x10"  
 Blower Module, Adjustable Speed, 400-CFM  
 Removable back wall for operations involving large equipment.  
 8" OD glove ports for standard dry box gloves with 8" cuff size.  
 Primary HEPA Filter 99.97% efficient.



**Simple Loop:** Inside atmosphere purified by continuous recirculation through a HEPA Filter

SKU	Description	Material	Dimensions	Price
2400-2-A	Two-Port, Simple Close Loop, Filtered Glovebox	Clear Acrylic	35"x24"x25"	\$2,480
2400-2-E	Two-Port, Simple Close Loop, Filtered Glovebox	ESD Acrylic	35"x24"x25"	\$4,275
2400-2-C	Two-Port, Simple Close Loop, Filtered Glovebox	Clear PVC	35"x24"x25"	\$2,839
2400-2-B	Two-Port, Simple Close Loop, Filtered Glovebox	ESD PVC	35"x24"x25"	\$3,525

**Dual Configurations:** A valve system allows conversion from open exhaust operation with fresh make-up air, to a closed-loop recirculation for capture particles.


SKU	Description	Material	Dimensions	Price
2400-2-D	Two-Port, Open/Close Loop, Filtered Glovebox	Clear Acrylic	35"x24"x25"	\$3,130
2400-2-M	Two-Port, Open/Close Loop, Filtered Glovebox	ESD Acrylic	35"x24"x25"	\$4,275
2400-2-F	Two-Port, Open/Close Loop, Filtered Glovebox	Clear PVC	35"x24"x25"	\$3,590
2400-2-E	Two-Port, Open/Close Loop, Filtered Glovebox	ESD PVC	35"x24"x25"	\$4,275

## HEPA Filtered Glove Box 2400 Series, Four Port, Transparent

Same features as two-port but the larger containment enclosure for working of two operators. Available in simple closed loop or dual configuration (Close/Open Loop). And in Negative and Positive Configuration.

### Accessories:

•Airlock Transfer Chamber •Dry Box Gloves •Bare Hand Entry  
 •Stainless Steel Tray •Mobile Stand •HEPA or Carbon filter •Power Strip  
 •Cord grip •Front Door •Gas ports and Automatic Purge Control



SKU	Description	Material	Dimensions	Price
2400-4-A	Four-Port, Simple Close Loop, Filtered Glovebox	Clear Acrylic	60"x24"x25"	\$2,930
2400-4-L	Four-Port, Simple Close Loop, Filtered Glovebox	ESD Acrylic	60"x24"x25"	\$4,395
2400-4-C	Four-Port, Simple Close Loop, Filtered Glovebox	Clear PVC	60"x24"x25"	\$3,445
2400-4-B	Four-Port, Simple Close Loop, Filtered Glovebox	ESD PVC	60"x24"x25"	\$4,395
SKU	Description	Material	Dimensions	Price
2400-4-D	Four-Port, Open/Close Loop, Filtered Glovebox	Clear Acrylic	60"x24"x25"	\$3,540
2300-4-M	Four-Port, Open/Close Loop, Filtered Glovebox	ESD Acrylic	60"x24"x25"	\$5,175
2300-4-F	Four-Port, Open/Close Loop, Filtered Glovebox	Clear PVC	60"x24"x25"	\$4,225
2300-4-E	Four-Port, Open/Close Loop, Filtered Glovebox	ESD PVC	60"x24"x25"	\$5,175

## HEPA Filtered Glove Box 2400 Series, Two Port, Polypropylene

Durable and chemical resistant non-transparent construction. Ideal choice for laboratory application involved chemicals. Air recirculates through a HEPA filter (or ULPA). The filter removes particulate and other contaminants to provide a clean process environment. They are available in Negative and Positive Configuration.

### Features:

Two access doors open outwards (Negative Pressure), opening 10"x10"  
 Blower Module, Adjustable Speed, 400-CFM  
 Removable back wall for operations involving large equipment.  
 8" OD glove ports for standard dry box gloves with 8" cuff size.  
 Primary HEPA Filter 99.97% efficient.  
 Internal Mount LED light (Also available as External)



**Simple Loop:** Inside atmosphere purified by continuous recirculation through a HEPA Filter

SKU	Description	Material	Dimensions	Price
2400-2-J	Two-Port, Simple Close Loop Glove Box	Polypropylene	35"x24"x25"	\$2,650

**Dual Configurations:** A valve system allows conversion from open exhaust operation with fresh make-up air, to a closed-loop recirculation for capture particles.

SKU	Description	Material	Dimensions	Price
2400-2-K	Two-Port, Open/Close Loop Glove Box	Polypropylene	35"x24"x25"	\$3,400

## HEPA Filtered Glove Box 2400 Series, Four Port, Polypropylene

Same features as two-port but the larger containment enclosure for working of two operators. Available in simple closed loop or dual configuration (Close/Open Loop).

**Simple Loop:** Inside atmosphere purified by continuous recirculation through a HEPA Filter

**Dual Configurations:** A valve system allows conversion from open exhaust operation with fresh make-up air, to a closed-loop recirculation for capture particles.



SKU	Description	Material	Dimensions	Price
2400-4-J	Four-Port, Simple Close Loop Glovebox	Polypropylene	60"x24"x25"	\$3,260

SKU	Description	Material	Dimensions	Price
2400-4-K	Four-Port, Open/Close Loop Glove Box	Polypropylene	60"x24"x25"	\$4,040

### Accessories of 2400 Series:

- Airlock Transfer Chamber
- Dry Box Gloves
- Bare Hand Entry
- Stainless Steel Worksurface and Tray
- Mobile Supporting Stand
- HEPA or Carbon Filter
- Power Strip
- Cord grip
- Front Tilt-up Access Door
- Enlarged side access Door
- Gas ports
- Oxygen Monitor
- Hygrometer and Thermometer
- Pressure Gauge to monitor internal pressure
- Automatic Purge Control Unit (For more info refer to Page 8)

Customization is available for all products if the standard sizes and features do not meet your requirements

## Custom Specialty Glove Box with Downflow Exhaust System

- Durable and chemical resistant for laboratory application involved chemicals.
- 10 feet length Six Glove Port system
- Fully removable front clear panel.
- Perforated Polypropylene worksurface
- Bottom Exhaust plenum with Duct ports
- Heavy Duty epoxy coated stand with lockable casters
- External Mount LED lights
- Choice of Bare hand entry or Gloves



## Custom Filtration Glove Box

- Chemical resistant Polypropylene construction
- Air Recirculating system with Diverting Ball valves for both main chamber and Transfer chamber
- Convertible Closed Loop to an Open Exhaust Filtration
- Negative pressure Turnkey system
- Mobile Supporting Base
- Sliding Laptop tray
- Magnehelic gauges to monitor internal pressure
- Real time Particle counter to monitor Filter performance
- External Mount LED lighting



## Extra Large Isolation Glovebox with Tilt-up Back Panel

- Chemical resistant Polypropylene construction
- Extra large isolation chamber for placing the wide and tall equipment
- Multiple Airtight cord / cable entry
- Internal power supply
- Tilt-up back panel for easy transfer equipment in and out
- Custom large side access door
- Two front tilt-up doors with Tempered glass
- Four Glove ports with Ant-static Gloves
- Epoxy coated steel base stand with Undershelf



## Custom Stainless Glovebox with Welded Ports

- Custom size glove box
- Corrosion resistant 304 Stainless Steel Construction
- Static Dissipative PVC front removable panel
- Multiple NPT fittings and KF-40 Ports
- Tilt-up front access door
- Internal wall mounted shelving
- Inert gas purge system
- Two glove ports with Ant-static and chemical resistant Gloves



## Compounding Aseptic Isolators 2600 Series, Two Port, Polypropylene

Positive Pressure Compounding Aseptic Isolators CAI, 2600 series are designed to provide a sterile positive pressure environment for the compounding of non-hazardous drugs. HEPA filtered unidirectional air flow supply within both the work zone and antechamber areas to assure ISO Class 5 conditions and sterility and minimizing cross contamination.

### Features:

- Main chamber Interior space 3ft : 24.25"W x 28.5"D x 30"H
- Main chamber Interior space 4ft : 36.25"W x 28.5"D x 30"H
- Antechamber Interior: 14.75" W x 28.5"D x 30"H
- Transparent AR Polycarbonate front windows
- Two 8" OD glove ports for standard dry box gloves with 8" cuff size.
- HEPA Filter 99.99% at .3 µm or ULPA Filter 99.999% at .12 µm.
- LED light.
- Magnehelic gauges monitor the internal positive pressure
- Air Flow: 650 4-Foot Model; 480 3-Foot Model
- Stainless steel rod, including S-shaped IV hooks
- Test Ports to test and certify the internal pressure and the differential pressure of main and antechamber
- Removable Sliding door between two chambers



SKU	Description	Material	Dimensions	Price
2600-2-A	3 Feet Compounding Aseptic Isolators	Polypropylene	40"x30"x44"	\$4,725
2600-2-B	4 Feet Compounding Aseptic Isolators	Polypropylene	52"x30"x44"	\$5,440

**Note:** Also, available with supporting stand 30" and 35" Height

## Anaerobic Processing Chambers

BACTRON anaerobic and environment chambers by ShellLab provide glove-free handling of samples with a consistent, oxygen-free environment that promotes faster sample turnaround. Modular equipment within the chamber facilitates the completion of basic workflow procedures from unpacking of materials to inoculation, incubation, inspection, and recovery.

### Features:

- Low Gas supply Alarm, Integrated vacuum Pump, Auto-Sleeve Cycle with Integrated HEPA Filter, Integrated Internal Regulators, Inner Door Lock, Auto-Commissioning Cycle, Comfortable, sleeve cuff seals around operators' arm, Arm Port Doors, User Adjustable Airlock Cycling, Sliding Shelves, Oxygen Catalyst and Humidity Controls, Pressure Controls, Revolving Shelves, External Lights



Incubator Capacity	Main Cu.Ft	Incub. Cu.Ft	Airlock Cu.ft	Voltage 115V		Voltage 230V	
				Model	Price	Model	Price
300 Petri Plate	12.5	1.4	0.74	BACTRONEZ	\$10,800	BACTRONEZ-2	\$12,146
	16.0	1.4	1.29	BACTRON300	\$21,735	BACTRON300-2	\$21,735
600 Petri Plate	16.0	4.6	1.29	BACTRON600	\$25,114	BACTRON600-2	\$25,114
900 Petri Plate	16.0	1.4/4.6	1.29	BACTRON900	\$26,785	BACTRON900-2	\$26,785

Visit [www.Globallabsupply.com](http://www.Globallabsupply.com) for latest sales price



## Useful Resources and Links



[www.Cleatech.com](http://www.Cleatech.com)

Visit CLEATECH corporate's website that has a nice variety display of lab products, thus serving as an official portal to our other websites with product info. By using the most advanced search features, you'd be able to find and narrow down your queries much better. Easily request a quote or contact us directly about your lab tech needs.



[www.GlobalLabSupply.com](http://www.GlobalLabSupply.com)

Shop On-line here, website with FULL commerce capabilities that include direct on-site check out, user accounts, database/log, multi-search, filtering and browsing through the entire catalog of quality lab tech machinery, furniture and essential accessories. For this website, we are also providing affiliate reseller business opportunities.



[www.Laboratory-Supply.net](http://www.Laboratory-Supply.net)

This website is an extended division of Cleatech.com. It has the same core engine & features. That's where you'll find even MORE details on our products along with the option to purchase via PayPal. Laboratory-Supply has a huge inventory of lab tech products for which you can also request a quote or call the company directly to place an order.



[www.Facebook.com/Cleatech](http://www.Facebook.com/Cleatech)

Feel free to 'like' Cleatech on Facebook so you can stay up to date with the latest and greatest products, news, demos, updates, deals, articles, science facts, quotes & even science history! Essentially, this is our official Clean Tech Community of business professionals, scientists and tech enthusiasts alike. So, help us build a bigger scientific community!



[www.Twitter.com/Cleatech](http://www.Twitter.com/Cleatech)

Follow Cleatech on twitter if you're a fan of science, research, discoveries, new tech, clean/green lab technology, eco-friendly products and methods as well as latest news and biggest announcements in the community. There, you can also find some useful facts, tips/advice and quotes. Our twitter encompasses even a BIGGER scientific community.



[www.Cleatech.com/Blog](http://www.Cleatech.com/Blog)

Our official company Sci-tech blog where you can read up on all kinds of interesting stuff dealing with science or clean /lab technology. Other topics of interests are biotechnology, nanotechnology, innovation, research, info-tech, aerospace, green/new tech, health and life science, medicine, aero-space, geology, psychology/neurology and pathology...



Call 1-(888) 216-8033



Desiccator, Laminar Flow Workstation, Glove Box, Exhaust Hood, Biological Safety Cabinet, Incubator, Laboratory Oven, Hot Plate, Shaker, Autoclave, Muffle Furnace, Refrigerator and Freezer, Acid and Corrosive Transport Cart, Cleanroom and Gowning Room Furniture, Cleanroom and Laboratory Chair and Stool, Workbench and many more.

**Bio-Tech / Research / Healthcare / Nano-Tech / Electronics / Aerospace / Forensics**

*Certain prices listed in this catalog are subject to change. For the most current pricing & specs, you may contact us by phone or email or visit our website: [www.cleatech.com](http://www.cleatech.com) or [www.Globallabsupply.com](http://www.Globallabsupply.com)*

© 2019-2020 Cleatech Product Catalog